

XML ISIR Record Layout, Tags and Data Description

The ISIR record layout/data description lists all the XML tags available for the ISIR record, provides a brief description of the field and lists valid field content for each tag. The layout is based on the 2003-04 ISIR data and will be modified as necessary for 2004-05.

- **Schema Field Number** – Enumerates all fields in this document
- **Field Number** - Lists either the CPS Header, Trailer or ISIR field number
- **03-04 ISIR Data Field** – Identifies the schema tag name, provides a definition of the field, and provides the name of the ISIR field name to which the tag maps. Some fields in the NSLDS Aid History section currently do not have a description. We will provide this information with the next update to this document.
- **Maximum Length** – Specifies the maximum length of the element
- **Data Type** – Specifies the type of field (e.g. date, integer, string, Boolean etc.)
- **Field Type** – Specifies whether the field is a simple or complex element
- **Format and Valid Field Values** – Describes the acceptable values for a given ISIR Record field

A few fields have valid values that are too many to list here, so we provided one attachment to provide what those valid values are (See Valid Field Values Attachment). Also, note that in most cases when there is a non-response to a data field, the tag/field simply will not be provided with the ISIR record sent by the CPS. “Nil” indicates that a response was initially provided but subsequently was changed to a blank response. Below are some XML-specific notes for the ISIR. They address some issues that are commonly understood among experienced XML programmers, but might not be known by those new to this technology. The information in this section is not intended to be a complete XML primer, as there are many excellent complete and detailed publications out on the subject. However, we hope that by passing along these lessons learned, this discussion will help ease XML technology-related 'growing pains'.

XML Data Types and Field Types:

Below is an explanation of the data types and field types in this document.

Data Types:

- **Boolean** – the value literals ‘true’ or ‘false’ (without the quotes) may appear in this field
- **Boolean (required)** – holds the same values as a Boolean, but the notation of “required” indicates that the field will always be populated with a value, it will never be absent from a student record
- **Date** – a valid date value, where the format is CCYY-MM-DD
- **DateTime** – a valid date and time value, where the format is CCYY-MM-DDTHH:MM:SS Note that the “T” in the format string is a literal, used to separate the date value from the time value.
- **Integer** – a numeric value, where the maximum number of digits is listed under the “Max Length” column
- **String** – an alpha-numeric value, including special characters as listed under “Valid Values”, where the maximum number of characters is listed under the “Max Length” column
- **String List** – also an alphanumeric value like a string. However this field has all possible values pre-defined in a list, which is indicated under the “Valid Values” column.

Field Types:

- Simple Element – this tag holds data, such as a boolean, string, integer, or date
- Complex Element – this tag holds other tags, to indicate a relationship in the data

Elements in Block Sequence:

The ISIR Record Layout lists elements in block sequence. A general rule regarding sequence of data within blocks, and within complex elements: the start and end data tags and their context must be presented on the XML document within the block's tags or the complex element tags to which they belong. The sequence of the data within that block or element is dictated by the sequence of the data tags presented in the XML schema. For example, if a complex element has ten simple elements within it, those ten elements must occur in the same sequence as depicted in the ISIR layout that follows, as well as the XML schema.

XML Entity References:

In XML, certain characters have special meaning for processing the tags, and therefore must be treated specially if they are needed in the content of a tag. This 'special treatment' would consist of the use of an entity reference in place of the character. The use of entity reference is standard XML practice.

An entity reference is a group of characters that are used in text to substitute for a single specific character. The characters that need this substitution are very few; they are essentially the markup delimiters in XML. Using the entity reference prevents a literal character from being mistaken for a markup delimiter. For example, if the value for an attribute must contain a left angle bracket (<), you can substitute the entity reference "<". Entity references always begin with an ampersand (&) and end with a semicolon (;). The entities predefined in XML are identified in the following table:

Character Entity reference

&	&
<	<
>	>
"	"
'	'

An example of the use of an entity reference is as follows:

```
<AddressLine>100 Town & Country Drive</AddressLine>      <!--don't do this, it's not correct XML -->
<AddressLine>100 Town &amp; Country Drive</AddressLine> <!--do this, using an entity reference -->
```

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
1.		<p><CommonRecordISIR xmlns= “ “ ></p> <p>Common Record ISIR: The root element for the document. The attribute: “xmlns”, and its value: http://www.ed.gov/FSA/CPS/2003/ISIR_1.0a, are together used to indicate the namespace of the elements in the XML document. The namespace convention incorporates the schema version indicator.</p>	NA	NA	Complex Element	<p>http://www.ed.gov/FSA/CPS/2003/ISIR_1.0a</p> <p>Note: this is an XML namespace reference to identify the schema to which the document adheres; it is not a URL for the file.</p>
2.	Header Record Field #10	<p><DocumentID></p> <p>Document ID: This element indicates the ISIR batch that this document belongs to. It includes batch type (received), award year, Federal School Code or State Agency, Date and Time.</p> <p>This tag maps to the 2003-04 ISIR Header Record Layout Batch Number (field # 10).</p>	23	String	Complex Element	<p>Received Batch Type: #A, #C, #E, #F, #G, #I, #K, or #L</p> <p>Award Year: 4</p> <p>Federal School Code: X00000 to X99999 Valid characters for the first position are 0 (zero), B, E, or G, or State Agency Code; 3-digit code where the first 2 digits are alpha characters and the third digit is numeric</p> <p>Date: Format is CCYYMMDD</p> <p>Time: Format is HHMMSS</p>
3.	Header Record Fields # 6 & 7	<p><CreatedDate></p> <p>Created Date Time: This element indicates the date and time of the ISIR batch that this document belongs to was created.</p> <p>This tag maps to the 2003-04 ISIR Header Record Layout Batch Number (fields # 6 & 7).</p>	NA	DateTime	Simple Element	Format is CCYY-MM-DDTHH:MM:SS
4.	Header Record Field #9	<p><AwardYear></p> <p>Award Year: This element indicates the award year for the ISIR batch</p> <p>This tag maps to the 2003-04 ISIR Header Record Layout Award Year (field # 9).</p>	7	Integer	Simple Element	0304

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
5.	Header Record Field #12	<p><TransactionType></p> <p>Transaction Type: This element indicates the transaction source of the ISIR batch (web, electronic, system generated, etc.)</p> <p>This tag maps to the 2003-04 ISIR Header Record Layout Transaction Data Source (field # 12).</p>	7	String List	Simple Element	ElectronicApplication ElectronicCorrection ElectronicSignature QuickCorrection VerificationCorrection PaperApplication PaperRenewalApplication PaperCorrection PaperSpanishApplication PaperSignaturePage FAFSAWeb RenewalWeb CorrectionsWeb FAACorrectionsWeb EasyFAFSAWeb EasyCorrectionsWeb SystemGenerated NSLDSPostScreening FDRorYTD SignatureCorrection SecondaryConfirmation CustomerService
6.		<p><DocumentSummary></p> <p>Document Summary: A complex element. This element provides a logical grouping of elements related to identification information.</p>	7	NA	Simple Element	NA
7.	Trailer Record Field #9	<p><TotalCount></p> <p>Total Count: This element indicates the total number of records contained in the original input batch.</p> <p>This tag maps to the 2003-04 ISIR Trailer Record Layout (field # 9).</p>	5	Integer	Complex Element	00000 to 99999

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
8.	Trailer Record Field #13	<p><TotalCountAccepted></p> <p>Total Count Accepted: This element indicates the total number of 'good' records in the original input batch</p> <p>This tag maps to the 2003-04 ISIR Trailer Record Layout (field # 13).</p>	7	Integer	Simple Element	0000001 to 9999999
9.	Trailer Record Field #14	<p><TotalCountInError></p> <p>Total Count In Error: This element indicates the total number of 'bad' records in the original input batch which will be imported in an error file</p> <p>This tag maps to the 2003-04 ISIR Trailer Record Layout (field #14).</p>	7	Integer	Simple Element	0000001 to 9999999
10.	Trailer Record Field #15	<p><TotalCountOnINSHold></p> <p>Total Count On INS Hold: This element indicates the number of records on INS Secondary Hold from the original input batch</p> <p>This tag maps to the 2003-04 ISIR Trailer Record Layout _ (field # 15).</p>	7	Integer	Simple Element	0000001 to 9999999
11.	Trailer Record Field #16	<p><TotalCountNotOnDatabase></p> <p>Total Count Not On Database: This element indicates the number of records not on the CPS database. These records are also included in the count for error records.</p> <p>This tag maps to the 2003-04 ISIR Trailer Record Layout (field # 16).</p>	7	Integer	Simple Element	0000001 to 9999999
12.		<p><StudentOriginalSSN= “ “ OriginalNameID= “ “ TransactionNumber= “ “ ></p> <p>Student Identifier: The student's identification information on CPS.</p> <p>The Original SSN portion of this tag maps to the 2003-04 ISIR Record Layout Original Social Security Number (field # 3). The OriginalNameID portion of this tag maps to the 2003-04 ISIR Record Layout Original Name ID (field #4). The TransactionNumber portion of this tag maps to the 2003-04 ISIR Record Layout Transaction Number (field # 5).</p>	NA	NA	Complex Element With Attributes	<p>Student OriginalSSN: 01010001 to 999999999</p> <p>OriginalNameID: Uppercase A to Z Space(s) (period) (apostrophe) (dash)</p> <p>TransactionNumber: 00-99</p>
13.		<p><Identifiers></p> <p>Identifiers: A complex element. This element provides a logical grouping of elements related to identification information.</p>	NA	NA	Complex Element	NA

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
14.	ISIR Field # 6	<SSN> Social Security Number: This element indicates the student's current Social Security Number. This tag maps to the 2003-04 ISIR Record Layout Student's Current Social Security Number (field # 6).	9	Integer	Simple Element	001010001 to 999999999
15.		<DriversLicense> Drivers License: A complex element. This element provides a logical grouping of elements related to identification information.	NA	NA	Complex Element	NA
16.	ISIR Field # 16	<DriversLicenseNumber> Driver's License Number: This element indicates the student's driver's license number. This tag maps to the 2003-04 ISIR Record Layout Student's Driver's License Number (field #16).	20	String	Simple Element	0 to 9 Uppercase A to Z Space(s) - (dash) * (asterisk) Nil = true
17.	ISIR Field # 17	<DriversLicenseState> Drivers License State : This element indicates the student's driver's license state. This tag maps to the 2003-04 ISIR Record Layout Student's Driver's License State Code (field #17).	2	String List	Simple Element	See attachment for valid two letter postal/state code Nil = true
18.	ISIR Field # 14	<BirthDate> Birth Date: This element indicates the student's Date of Birth This tag maps to the 2003-04 ISIR Record Layout BirthDate (field# 14).	10	Date	Simple Element	Format is CCYY-MM-DD Nil = true
19.		<Name> Name: A complex element. This element provides a logical grouping of elements related to identification information.	NA	NA	Complex Element	NA

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
20.	ISIR Field # 8	<FirstName> First Name: This element indicates the student's first name. This tag maps to the 2003-04 ISIR Record Layout Student's First Name (field #8).	12	String	Simple Element	0 to 9 Uppercase A to Z Space(s) . (period) ' (apostrophe) - (dash) Nil = true
21.	ISIR Field # 9	<MiddleInitial> Middle Initial: This element indicates the student's middle initial. This tag maps to the 2003-04 ISIR Record Layout Middle Initial (field #9).	1	String	Simple Element	Uppercase A to Z Nil= true
22.	ISIR Field # 7	<LastName> Last Name: This element indicates the student's last name. This tag maps to the 2003-04 ISIR Record Layout Student's Last Name (field #7).	16	String	Simple Element	0 to 9 Uppercase A to Z Space(s) . (period) ' (apostrophe) - (dash) Nil = true
23.		<Contacts> Contacts: A complex element. This element provides a logical grouping of elements related to identification information.	NA	NA	Complex Element	NA
24.		<PermanentAddress> Permanent Address: A complex element. This element provides a logical grouping of elements related to identification information.	NA	NA	Complex Element	NA

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
25.	ISIR Field # 10	<AddressLine> Address Line: This element indicates a line of the student's address. There is a maximum occurrence of one address line for this tag. This tag maps to the 2003-04 ISIR Record Layout Permanent Mailing Address (field # 10).	35	String	Simple Element	0 to 9 Uppercase A to Z . (period) - (dash) , (comma) # (Number) @ (at) % (percent or care of) & (ampersand) / (slash) Space(s) Nil = true
26.	ISIR Field # 11	<AddressCity> Address City: This element indicates the student's city. This tag maps to the 2003-04 ISIR Record Layout Student's Permanent City (field #11).	16	String	Simple Element	0 to 9 Uppercase A to Z . (period) ' (apostrophe) - (dash) , (comma) # (number) @ (at) % (percent or care of) & (ampersand) / (slash) Nil = true
27.	ISIR Field # 12	<AddressStateProvinceCode> Address State Province Code: This element indicates the student's state or province code. This tag maps to the 2003-04 ISIR Record Layout Student's Permanent State (field #12).	2	String List	Simple Element	See attachment for valid two letter postal/state code Nil = true

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
28.	ISIR Field # 13	<AddressPostalCode> Address Postal Code: This element indicates the student's Postal Code (Zip Code). This tag maps to the 2003-04 ISIR Record Layout Student's Permanent Zip Code (field #13).	5	Integer	Simple Element	00000 to 99999 Nil = true
29.	ISIR Field # 15	<PermanentPhoneNumber> Permanent Phone Number: This element indicates the student's permanent phone number. This tag maps to the 2003-04 ISIR Record Layout Student's Permanent Phone Number (field #15).	10	String	Simple Element	0000000000 to 9999999999 Nil = true
30.	ISIR Field # 103	<EmailAddress> Email Address: This element indicates the student's email address. This tag maps to the 2003-04 ISIR Record Layout Student's E-mail Address (field #103).	50	String	Simple Element	One and only one "@" at-sign allowed. Before @: • at least one valid character • all characters in the range of ASCII 33-126, except for the following 12 characters <> () [] \ , ; : " @ • period '.' Cannot be first, last or adjacent to another period After @: • at least one valid character • only letters, digits, hyphen, underscore, and period (A – Z, a – z, 0 – 9, , - , .) • hyphen, underscore, and period cannot be first, last, or adjacent to a period.
31.	ISIR Field # 18	<CitizenshipStatusCode> Citizenship Status Code: This element indicates the student's citizenship status. This information is self-reported. This tag maps to the 2003-04 ISIR Record Layout Student's Citizenship Status (field #18).	NA	String List	Simple Element	Citizen EligibleNonCitizen NotEligible Nil = true
32.	ISIR Field # 19	<AlienRegistrationNumber> Alien Registration Number: This element indicates the student's alien registration number. This tag maps to the 2003-04 ISIR Record Layout Student's Alien Registration Number (field #19).	9	Integer	Simple Element	000000001 to 999999999
33.		<MaritalStatus> Marital Status: A complex element. This element provides a logical grouping of elements related to marital information.	NA	NA	Complex Element	NA

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
34.	ISIR Field # 20	<MaritalStatusCode> Marital Status Code: This element indicates the student's marital status. This tag maps to the 2003-04 ISIR Record Layout Student's Marital Status (field #20).	NA	String List	Simple Element	Unmarried Married Separated Nil = true (FAFSA current business rule will only allow these values to be provided for Student's Marital Status)
35.	ISIR Field # 21	<MaritalStatusDate> Marital Status Date: This element indicates the date of student's marital status. This tag maps to the 2003-04 ISIR Record Layout Student's Marital Status Date (field #21).	7	Date	Simple Element	Format is CCYY-MM Nil = true
36.		<ResidencyData> Residency Data: A complex element. This element provides a logical grouping of elements related to residency information.	NA	NA	Complex Element	NA
37.	ISIR Field # 29	<LegalResidenceStateCode> Legal Residence State Code: This element indicates the student's legal state of residence. This tag maps to the 2003-04 ISIR Record Layout Student's State of Legal Residence (field #29).	2	String List	Simple Element	See attachment for valid two letter postal/state code Nil = true
38.	ISIR Field # 30	<LegalResidentByCutoff> Legal Resident By Cutoff: This element indicates if the student is considered a legal resident before 01-01-1998. This tag maps to the 2003-04 ISIR Record Layout Student's Legal Resident Before 01-01-1998 (field #30).	NA	Boolean (required)	Simple Element	true = Yes false = No Nil = true
39.	ISIR Field # 31	<LegalResidenceDate> Legal Residence Date: This element indicates the date related to legal residence. This tag maps to the 2003-04 ISIR Record Layout Student's Legal Residence Date (field #31).	7	Date	Simple Element	Format is CCYY-MM Nil = true
40.		<HouseholdData> Household Data: A complex element. This element provides a logical grouping of elements related to household information.	NA	NA	Complex Element	NA

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
41.	ISIR Field # 89	<MembersInFamily> Family Members: This element indicates the number of family members in the household. This tag maps to the 2003-04 ISIR Record Layout Student's Number of Family Members (field #89).	2	Integer	Simple Element	00 to 99 Nil = true
42.	ISIR Field # 90	<NumberInCollege> Number in College: This element indicates the number of persons in college during the academic year 2003-04. This tag maps to the 2003-04 ISIR Record Layout Student's Number In College (field #90).	1	Integer	Simple Element	0 to 9 Nil = true
43.		<SubmissionInformation> Submission Information: A complex element. This element provides a logical grouping of elements related to submission information.	NA	NA	Complex Element	NA
44.		<AdditionalStudentData > Additional Student Data: A complex element. This element provides a logical grouping of elements related to student information.	NA	NA	Complex Element	NA
45.		<FinancialData> Financial Data: A complex element. This element provides a logical grouping of elements related to financial information.	NA	NA	Complex Element	NA
46.		<IncomeData> Income Data: A complex element. This element provides a logical grouping of elements related to income information.	NA	NA	Complex Element	NA
47.	ISIR Field # 41	<TaxReturnStatusCode> Tax Return Status Codes: This element indicates what the applicant reported is their tax return status. This tag maps to the 2003-04 ISIR Record Layout Student's Tax Return Completed (field #41).	NA	String List	Simple Element	Completed WillFile WillNotFile Nil = true
48.	ISIR Field # 42	<TaxFormTypeCode> Tax Form Code: This element indicates what type of tax return the student filed. This tag maps to the 2003-04 ISIR Record Layout Student's Type of 2002 Tax Form Used (field #42).	NA	String List	Simple Element	1040 1040AEZTelefile Foreign USTRustTerritory Nil = true

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
49.	ISIR Field # 43	<p><Form1040AEZEligibleCode></p> <p>Form 1040 A/EZ Eligible Code: This element indicates if the student is able to file a 1040A or 1040EZ tax return.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Student Eligible to file 1040A or 1040EZ (field #43).</p>	NA	String List	Simple Element	Yes No DoNotKnow Nil = true
50.	ISIR Field # 44	<p><AdjustedGrossIncome></p> <p>Adjusted Gross Income: This element indicates the student's adjusted gross income.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Student's Adjusted Gross Income from IRS form (field #44).</p>	7	Integer	Simple Element	-999999 to 999999 Nil = true
51.	ISIR Field # 45	<p><IncomeTaxPaid></p> <p>Income Tax Paid: This element indicates the student's income tax paid.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Student's U.S. Income Tax Paid (field #45).</p>	6	Integer	Simple Element	00000 to 99999 (CPS current business rule is only 5 digits) Nil = true
52.	ISIR Field # 46	<p><ExemptionsClaimed></p> <p>Exemptions Claimed: This element indicates the number of exemptions claimed on the student's tax return..</p> <p>This tag maps to the 2003-04 ISIR Record Layout Student's Exemptions Claimed (field #46).</p>	2	Integer	Simple Element	00 to 99 Nil = true
53.	47	<p><StudentEarnedIncome></p> <p>Student Earned Income: This element indicates the student's income earned from work.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Student's Income Earned from Work (field #47).</p>	7	Integer	Simple Element	-999999 to 999999 Nil = true
54.	ISIR Field # 48	<p><SpouseEarnedIncome></p> <p>Spouse Earned Income: This element indicates the spouse's income earned from work.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Spouse's Income Earned from Work (field #48).</p>	7	Integer	Simple Element	-999999 to 999999 Nil = true
55.	ISIR Field # 49	<p><WorksheetA></p> <p>Worksheet A: This element indicates the total from those items on Worksheet A of the FAFSA.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Student's Total Amount from Worksheet A (field #49).</p>	5	Integer	Simple Element	00000 to 99999 Nil = true

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
56.	ISIR Field # 50	<WorksheetB> Worksheet B: This element indicates the total from those items on Worksheet B of the FAFSA. This tag maps to the 2003-04 ISIR Record Layout Student's Total Amount from Worksheet B (field #50).	5	Integer	Simple Element	00000 to 99999 Nil = true
57.	ISIR Field # 51	<WorksheetC> Worksheet C: This element indicates the total from those items on Worksheet C of the FAFSA. This tag maps to the 2003-04 ISIR Record Layout Student's Total Amount from Worksheet C (field #51).	5	Integer	Simple Element	00000 to 99999 Nil = true
58.		<AssetData> Asset Data: A complex element. This element provides a logical grouping of elements related to asset information.	NA	NA	Complex Element	NA
59.	ISIR Field # 52	<InvestmentNetWorth> Investment Net Worth: This element indicates the student's investment net worth. This tag maps to the 2003-04 ISIR Record Layout Student's Investment Net Worth (field #52).	6	Integer	Simple Element	000000 to 999999 Nil = true
60.	ISIR Field # 53	<BusinessFarmNetWorth> Business Farm Net Worth: This element indicates the student's business or farm net worth. This tag maps to the 2003-04 ISIR Record Layout Student's Business and/or Investment Farm Net Worth (field #53).	6	Integer	Simple Element	000000 to 999999 Nil = true
61.	ISIR Field # 54	<CashSavingsChecking> Cash Savings Checking: This element indicates the student's total of cash, savings, and checking. This tag maps to the 2003-04 ISIR Record Layout Student's Cash, Savings, and Checking (field #54).	6	Integer	Simple Element	000000 to 999999 Nil = true
62.		<VeteransBenefits> Veterans Benefits: A complex element. This element provides a logical grouping of elements related to financial information.	NA	NA	Complex Element	NA
63.	ISIR Field # 55	<NumberOfMonths> Number of Months: This element indicates the number of months a student received benefits. This tag maps to the 2003-04 ISIR Record Layout Number of Months Veterans Education Benefits Received (field #55).	2	Integer	Simple Element	00 to 12 Nil = true

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
64.	ISIR Field # 56	<MonthlyBenefitAmount> Monthly Benefit Amount: This element indicates the amount of benefits a student receives monthly. This tag maps to the 2003-04 ISIR Record Layout Monthly Veterans Education Benefits (field #56).	4	Integer	Simple Element	0000 to 9999 Nil = true
65.		<EnrollmentData> EnrollmentData: A complex element. This element provides a logical grouping of elements related to enrollment information.	NA	NA	Complex Element	NA
66.	ISIR Field # 22	<SummerHeaderCode> Summer Header Code: This element indicates the enrollment intention of the student for the summer preceeding the 2003-2004 academic year. This tag maps to the 2003-04 ISIR Record Layout Summer 2003 (field #22).	NA	String List	Simple Element	FullTimeOrNotSure ThreeQuarterTime HalfTime LessThanHalfTime NotAttending Nil = true
67.	ISIR Field # 23	<FallCode> Fall Enrollment Code: This element indicates the enrollment intention of the student for the fall term of the 2003–2004 academic year. This tag maps to the 2003-04 ISIR Record Layout Fall 2003 (field #23).	NA	String List	Simple Element	FullTimeOrNotSure ThreeQuarterTime HalfTime LessThanHalfTime NotAttending Nil = true
68.	ISIR Field # 24	<WinterCode> Winter Enrollment Code: This element indicates the enrollment intention of the student for the winter term of the 2003-2004 academic year. This tag maps to the 2003-04 ISIR Record Layout Winter 2003-2004 (field #24).	NA	String List	Simple Element	FullTimeOrNotSure ThreeQuarterTime HalfTime LessThanHalfTime NotAttending Nil = true
69.	ISIR Field # 25	<SpringCode> Spring Enrollment Code: This element indicates the enrollment intention of the student for the spring term of the 2003-2004 academic year. This tag maps to the 2003-04 ISIR Record Layout Spring 2004 (field #25).	NA	String List	Simple Element	FullTimeOrNotSure ThreeQuarterTime HalfTime LessThanHalfTime NotAttending Nil = true

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
70.	ISIR Field # 26	<p><SummerTrailerCode></p> <p>Summer Trailer Code: This element indicates the enrollment intention of the student for the summer following the 2003-2004 academic year.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Summer 2004 (field# 26).</p>	NA	String List	Simple Element	FullTimeOrNotSure ThreeQuarterTime HalfTime LessThanHalfTime NotAttending Nil = true
71.		<p><QuestionnaireResponses></p> <p>Questionnaire Responses: A complex element. This element provides a logical grouping of elements related to FAFSA Questionnaire information.</p>	NA	NA	Complex Element	NA
72.	ISIR Field # 32	<p><SelectiveServiceMale></p> <p>Selective Service Male: This element indicates if the student is male.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Are you Male (field #32).</p>	NA	Boolean (required)	Simple Element	true = Yes false = No Nil = true
73.	ISIR Field # 33	<p><SelectiveServiceRegister></p> <p>Selective Service Register: This element indicates if the student wants to be registered by the Selective Service.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Do you want Selective Service to register you (field #33).</p>	NA	Boolean (required)	Simple Element	true = Yes false = No Nil = true
74.	ISIR Field # 34	<p><DegreeOrCertificateCode></p> <p>Degree Or Certificate Code: This element indicates the degree or certificate for which the student is enrolled.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Degree/Certificate (field #34).</p>	NA	String List	Simple Element	FirstBachelor SecondBachelor AssociateTechnical AssociateGeneral CertificateDiploma CertificateDiploma2 Teaching GraduateProfessional Other Nil = true

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
75.	ISIR Field # 35	<StudentLevelCode> Student Level Code: This element indicates the grade level of the student. This tag maps to the 2003-04 ISIR Record Layout Grade Level in College in 2003-2004 (field #35).	NA	String List	Simple Element	FirstNeverAttended FirstAttendedBefore Second Third Fourth FifthOrMore FirstYearGraduate ContinuingGraduate Nil = true
76.	ISIR Field # 36	<HighSchoolDiplomaOrGED> High School Diploma or GED: This element indicates if the student has received a high school diploma or GED. This tag maps to the 2003-04 ISIR Record Layout HS Diploma or GED Received (field #36).	NA	Boolean (required)	Simple Element	true = Yes false = No Nil = true
77.	ISIR Field # 37	<FirstBachelorsByCutoff> First Bachelor's By Cutoff: This element indicates if the student will receive a first bachelor's degree by 07-01-2003. This tag maps to the 2003-04 ISIR Record Layout First Bachelor's Degree By 07-01-2003 (field #37).	NA	Boolean (required)	Simple Element	true = Yes false = No Nil = true
78.	ISIR Field # 38	<StudentLoanInterest> Student Loan Interest: This element indicates if the student is interested in student loan financial assistance. This tag maps to the 2003-04 ISIR Record Layout Interested in Student Loans (field #38) .	NA	Boolean (required)	Simple Element	true = Yes false = No Nil = true
79.	ISIR Field # 39	<WorkStudyInterest> Work-Study Interest: This element indicates if the student is interested in student work-study financial assistance. This tag maps to the 2003-04 ISIR Record Layout Interested in Work Study (field #39).	NA	Boolean (required)	Simple Element	true = Yes false = No Nil = true

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
80.	ISIR Field # 40	<p><DrugConvictionCode></p> <p>Drug Conviction Code: This element indicates if the student has a drug conviction that would affect financial aid eligibility.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Drug Conviction Affecting Eligibility (field #40).</p>	NA	String List	Simple Element	No YesPartYear YesOrDoNotKnow NoResponse
81.		<p><DependencyData></p> <p>Dependency Data: A complex element. This element provides a logical grouping of elements related to dependency information.</p>	NA	NA	Complex Element	NA
82.	ISIR Field # 57	<p><BornBeforeCutoffIndicator></p> <p>Born Before Cutoff Indicator: This element indicates if the student was born before 01-01-1980.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Born Before 01-01-1980 (field #57).</p>	NA	Boolean (required)	Simple Element	true = Yes false = No Nil = true
83.	ISIR Field # 58	<p><MastersOrDoctorateIndicator></p> <p>Master or Doctorate Indicator: This element indicates if the student is working on a Master's or Doctorate Program for the 2003-2004 academic year.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Working on a Master's or Doctorate Program in 2003- 2004 (field #58).</p>	NA	Boolean (required)	Simple Element	true = Yes false = No Nil = true
84.	ISIR Field # 59	<p><MarriedIndicator></p> <p>Married Indicator: This element indicates if the student is married.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Is Student Married (field #59).</p>	NA	Boolean (required)	Simple Element	true = Yes false = No Nil = true
85.	ISIR Field # 60	<p><SupportsChildrenIndicator></p> <p>Supports Children Indicator: This element indicates if the student has children to support.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Have Children to Support (field #60)</p>	NA	Boolean (required)	Simple Element	true = Yes false = No Nil = true
86.	ISIR Field # 61	<p><LegalDependentsIndicator></p> <p>Legal Dependents Indicator: This element indicates if the student has legal dependents other than children or spouse to support.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Have Legal Dependents Other than Children or Spouse (field #61).</p>	NA	Boolean (required)	Simple Element	true = Yes false = No Nil = true

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
87.	ISIR Field # 62	<OrphanWardOfCourtIndicator> Orphan or Ward of Court Indicator: This element indicates if the student is an orphan or ward of the court. This tag maps to the 2003-04 ISIR Record Layout Orphan or Ward of Court (field #62).	NA	Boolean (required)	Simple Element	true = Yes false = No Nil = true
88.	ISIR Field # 63	<VeteranIndicator> Veteran Indicator: This element indicates if the student is a veteran of the U.S. Armed Forces. This tag maps to the 2003-04 ISIR Record Layout Veteran of U.S. Armed Forces (field #63).	NA	Boolean (required)	Simple Element	true = Yes false = No Nil = true
89.		<ParentData> Parent Data: A complex element. This element provides a logical grouping of elements related to parental information.	NA	NA	Complex Element	NA
90.		<FatherStepfather> FatherStepfather: A complex element. This element provides a logical grouping of elements related to father/stepfather information.	NA	NA	Complex Element	NA
91.		<Identifiers> Identifiers: A complex element. This element provides a logical grouping of elements related to identifier information.	NA	NA	Complex Element	NA
92.	ISIR Field # 65	<SSN> Social Security Number: The father's/stepfather's current Social Security Number. This tag maps to the 2003-04 ISIR Record Layout Father's/Stepfather's Social Security Number (field #65).	9	Integer	Simple Element	001010001 to 999999999 Nil = true
93.		<Name> Name: A complex element. This element provides a logical grouping of elements related to name information.	NA	NA	Complex Element	NA
94.	ISIR Field # 66	<LastName> Last Name: This element indicates the father's/stepfather's last name. This tag maps to the 2003-04 ISIR Record Layout Father's/Stepfather's Last Name (field #66).	16	String	Simple Element	0 to 9 Uppercase A to Z Space(s) . (period) ' (apostrophe) - (dash) Nil = true

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
95.	ISIR Field # 27	<EducationLevelCode> Education Level Code: This element indicates the father's/stepfather's education level. This tag maps to the 2003-04 ISIR Record Layout Father's Highest Grade Level Completed (field #27).	NA	String List	Simple Element	JuniorHigh HighSchool CollegeOrBeyond OtherOrUnknown Nil = true
96.		<MotherStepmother> MotherStepmother: A complex element. This element provides a logical grouping of elements related to mother/stepmother information.	NA	NA	Complex Element	NA
97.		<Identifiers> Identifiers: A complex element. This element provides a logical grouping of elements related to identifier information.	NA	NA	Complex Element	NA
98.	ISIR Field # 67	<SSN> Social Security Number: The mother's/stepmother's current Social Security Number. This tag maps to the 2003-04 ISIR Record Layout Mother's/Stepmother's Social Security Number (field #67).	9	Integer	Simple Element	000000000 to 999999999 Nil = true
99.		<Name> Name: A complex element. This element provides a logical grouping of elements related to name information.	NA	NA	Complex Element	NA
100.	ISIR Field # 68	<LastName> Last Name: This element indicates the mother's/stepmother's last name. This tag maps to the 2003-04 ISIR Record Layout Mother's/Stepmother's Last Name (field #68).	16	String	Simple Element	0 to 9 Uppercase A to Z Space(s) . (period) ' (apostrophe) - (dash) Nil = true
101.	ISIR Field # 28	<EducationLevelCode> Education Level Code: This element indicates the mother's/stepmother's education level. This tag maps to the 2003-04 ISIR Record Layout Mother's Highest Grade Level Completed (field #28).	NA	String List	Simple Element	JuniorHigh HighSchool CollegeOrBeyond OtherOrUnknown Nil = true

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
102.		<MaritalStatus> Marital Status: A complex element. This element provides a logical grouping of elements related to marital information.	NA	NA	Complex Element	NA
103.	ISIR Field # 64	<MaritalStatusCode> Marital Status Code: This element indicates the parents' marital status. This tag maps to the 2003-04 ISIR Record Layout Parent's Marital Status (field #64).	NA	String List	Simple Element	UnmarriedOrSingle Married DivorcedOrSeparated Widowed Nil = true (FAFSA current business rule will only allow these values to be provided for Parent Marital Status)
104.	ISIR Field # 274	<MaritalStatusDate> Marital Status Date: This element indicates the date of the parents' marital status. This tag maps to the 2003-04 ISIR Record Layout Parent's Marital Status Date (field #274).	7	Date	Simple Element	Format is CCYY-MM Nil = true
105.		<ResidencyData> Residency Data: A complex element. This element provides a logical grouping of elements related to residency information.	NA	NA	Complex Element	NA
106.	ISIR Field # 71	<LegalResidenceStateCode> Legal Residence State Code: This element indicates parent's state of legal residence. This tag maps to the 2003-04 ISIR Record Layout Parent's State of Legal Residence (field #71).	2	String List	Simple Element	Uppercase A to Z Valid postal code See State/County/Jurisdiction Codes Nil = true
107.	ISIR Field # 72	<LegalResidentByCutoff> Legal Resident By Cutoff: This element indicates if the parent was a legal resident before 01-01-1998. This tag maps to the 2003-04 ISIR Record Layout Parent's Legal Residents before 01-01-1998 (field #72).	NA	Boolean (required)	Simple Element	true = Yes false = No Nil = true
108.	ISIR Field # 73	<LegalResidenceDate> Legal Residence Date: This element indicates the date related to parents' legal residence. This tag maps to the 2003-04 ISIR Record Layout Parent's Legal Residence Date (field #73).	7	Date	Simple Element	Format is CCYY-MM Nil = true

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
109.		<HouseholdData> Household Data: A complex element. This element provides a logical grouping of elements related to household information.	NA	NA	Complex Element	NA
110.	ISIR Field # 69	<MembersInFamily> Family Members: This element indicates the number of family members in the household. This tag maps to the 2003-04 ISIR Record Layout Parent's Number of Family Members (field #69).	2	Integer	Simple Element	01 to 99 Nil = true
111.	ISIR Field # 70	<NumberInCollege> Number in College: This element indicates the number of persons in college during the academic year 2003-04. This tag maps to the 2003-04 ISIR Record Layout Parent's Number in College 2003-2004 Parents' excluded (field #70).	1	Integer	Simple Element	1 to 9 Nil = true
112.	ISIR Field # 74	<OlderParentAge> Older Parent Age: This element indicates the age of the older parent. This tag maps to the 2003-04 ISIR Record Layout Age of Older Parent (field #74).	2	Integer	Simple Element	00 to 99 Nil = true
113.		<ParentFinancialData> ParentFinancial Data: A complex element. This element provides a logical grouping of elements related to parent's financial information.	NA	NA	Complex Element	NA
114.		<IncomeData> Income Data: A complex element. This element provides a logical grouping of elements related to income information.	NA	NA	Complex Element	NA
115.	ISIR Field # 75	<TaxReturnStatusCode> Tax Return Status Code: This element indicates the parent's tax filing status. This tag maps to the 2003-04 ISIR Record Layout Parent's Tax Return Completed (field #75).	NA	String List	Simple Element	Completed WillFile WillNotFile Nil = true
116.	ISIR Field # 76	<TaxFormTypeCode> Tax Form Type Code: This element indicates the type of tax return the parent filed. This tag maps to the 2003-04 ISIR Record Layout Parent's Type of 2002 Tax Form Used (field #76).	NA	String List	Simple Element	1040 1040AEZTelefile Foreign USTRustTerritory Nil = true

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
117.	ISIR Field # 77	<p><Form1040AEZEligibleCode></p> <p>Form 1040 A/EZ Eligible Code: This element indicates if the parent is able to file a 1040A or 1040EZ tax return.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Parent's Eligible to file 1040A or 1040EZ (field #77).</p>	NA	String List	Simple Element	<p>Yes</p> <p>No</p> <p>DoNotKnow</p> <p>Nil = true</p>
118.	ISIR Field # 78	<p><AdjustedGrossIncome></p> <p>Adjusted Gross Income: This element indicates the parent's adjusted gross income.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Parent's Adjusted Gross Income from IRS form (field #78).</p>	7	Integer	Simple Element	<p>-999999 to 999999</p> <p>Nil = true</p>
119.	ISIR Field # 79	<p><IncomeTaxPaid></p> <p>Income Tax Paid: This element indicates the Parents' income tax paid.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Parent's U.S. Income Tax Paid (field #79).</p>	6	Integer	Simple Element	<p>000000 to 999999</p> <p>Nil = true</p>
120.	ISIR Field # 80	<p><ExemptionsClaimed></p> <p>Exemptions Claimed: This element indicates the number of exemptions claimed on the parents' tax return.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Parent's Exemptions Claimed (field #80).</p>	2	Integer	Simple Element	<p>00 to 99</p> <p>Nil = true</p>
121.	ISIR Field # 81	<p><FathersEarnedIncome></p> <p>Father's/Stepfather's Earned Income: This element indicates the father's income earned from work.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Father's/Stepfather's Income Earned from Work (field #81).</p>	7	Integer	Simple Element	<p>-999999 to 999999</p> <p>Nil = true</p>
122.	ISIR Field # 82	<p><MothersEarnedIncome></p> <p>Mother's/Stepmother's Earned Income: This element indicates the mother's income earned from work.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Mother's/Stepmother's Income Earned from Work (field #82).</p>	7	Integer	Simple Element	<p>-999999 to 999999</p> <p>Nil = true</p>

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
123.	ISIR Field # 83	<p><WorksheetA></p> <p>Worksheet A: This element indicates the total from those items on Worksheet A of the FAFSA.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Parent's Total Amount from Worksheet A (field #83).</p>	5	Integer	Simple Element	00000 to 99999 Nil = true
124.	ISIR Field # 84	<p><WorksheetB></p> <p>Worksheet B: This element indicates the total from those items on Worksheet B of the FAFSA.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Parent's Total Amount from Worksheet B (field #84).</p>	5	Integer	Simple Element	00000 to 99999 Nil = true
125.	ISIR Field # 85	<p><WorksheetC></p> <p>Worksheet C: This element indicates the total from those items on Worksheet C of the FAFSA.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Parent's Total Amount from Worksheet C (field #85).</p>	5	Integer	Simple Element	00000 to 99999 Nil = true
126.		<p><AssetData></p> <p>Asset Data: A complex element. This element provides a logical grouping of elements related to asset information.</p>	NA	NA	Complex Element	NA
127.	ISIR Field # 86	<p><InvestmentNetWorth></p> <p>Investment Net Worth: This element indicates the parents' investment net worth.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Parent's Investment Net Worth (field #86).</p>	6	Integer	Simple Element	000000 to 999999 Nil = true
128.	ISIR Field # 87	<p><BusinessFarmNetWorth></p> <p>Business Farm Net Worth: This element indicates the parents' business or farm net worth.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Parent's Business and/or Investment Farm Net Worth (field #87).</p>	6	Integer	Simple Element	000000 to 999999 Nil = true
129.	ISIR Field # 88	<p><CashSavingsChecking></p> <p>Cash Savings Checking: This element indicates the parents' total of cash, savings, and checking.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Parent's Cash, savings, and Checking (field #88).</p>	6	Integer	Simple Element	000000 to 999999 Nil = true

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
130.		<School Number= “ “> School Number: A complex element. This element provides a logical grouping of elements related to School Notification information. The attribute “Number” This element indicates the order of the Federal School Code listed on the FAFSA. This element has a maximum of six occurrences.	NA	NA	Complex Element with Attribute	NA
131.	ISIR Fields 91 93 95 97 99 101	<School FederalSchoolCode=” “> School Federal School Code: This element indicates the Federal School Code for institution listed by the student.. This tag maps to the 2003-04 ISIR Record Layout Federal School Code (fields #91, 93, 95, 97, 99, 101).	6	String	Simple Element with Attribute	X00000 to X99999 Nil = true Valid characters for the first position are 0 (zero), B, E, or G.
132.	ISIR Fields 92 94 96 98 100 102	<HousingCode> Housing Code: This element identifies the anticipated housing status for each school code.. This tag maps to the 2003-04 ISIR Record Layout Federal School Code Housing Plan (fields #92, 94, 96, 98, 100, 102)	NA	String List	Simple Element	Campus OffCampus WithParent Nil = true
133.		<AidAdministratorData> Aid Administrator Data: A complex element. This element provides a logical grouping of elements related to Financial Aid A dministrator information.	NA	NA	Complex Element	NA
134.		<ProfessionalJudgement> Professional Judgement: A complex element. This element provides a logical grouping of elements related to professional judgement information.	NA	NA	Complex Element	NA
135.	ISIR Field # 110	<DependencyOverrideCode> Dependency Override Code: This element indicates if a Dependency Override was requested for this student. This tag maps to the 2003-04 ISIR Record Layout Dependency Override Indicator (field #110).	NA	String List	Simple Element	Requested Cancelled Failed
136.	ISIR Field # 113	<EFCAdjustmentCode> EFC Adjustment Code: This element indicates if a Financial Aid Administrator requested an EFC adjustment and if the request was processed. This tag maps to the 2003-04 ISIR Record Layout FAA Adjustment (field #113).	NA	String List	Simple Element	Processed Failed

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
137.	ISIR Field # 111	<SchoolFederalSchoolCode=" "> School Federal School Code: This element indicates the Federal School Code that requested a dependency override or Adjusted Calculation request. This tag maps to the 2003-04 ISIR Record Layout FAA Federal School Code (field #111).	6	String	Simple Element with Attribute	X00000 to X99999 Valid characters for the first position are 0 (zero), B, E, or G
138.		<RejectOverrides> Reject Overrides: A complex element. This element provides a logical grouping of elements related to reject override information.	NA	NA	Complex Element	NA
139.	ISIR Fields 121 122 123 124 125	<RejectOverrideCode> Reject Override Code There are a maximum of five Reject Override Code tags. This tag maps to the 2003-04 ISIR Record Layout Reject Override Codes (fields # 121, 122, 123, 124, 125).	NA	String List	Simple Element	A = Date of Birth year is 1900 to 1928. B = Date of Birth year is September 1987 or greater. C = Taxes paid is greater than zero and greater than or equal to a fixed rate of the AGI, but not equal to or greater than AGI. N = Missing first or last name. W = Questionable number of family members.
140.		<AssumptionOverrides> Assumption Overrides: A complex element. This element provides a logical grouping of elements related to assumption override information.	NA	NA	Complex Element	NA
141.	ISIR Fields 126 127 128 129 130 131	<AssumptionOverrideCode> Assumption Override Codes There are a maximum of six Assumption Override Code tags. This tag maps to the 2003-04 ISIR Record Layout Assumption Override Codes (fields 126, 127, 128, 129, 130, 131).	NA	String List	Simple Element	1 = Parent's Number in College assumed to be 1 when the number in college is greater than 6. 2 = Parent's AGI assumed equal to sum of father and mother earned income portions. 3 = Student's Number in College assumed to be 1 when the number in college equals number in the household and both are greater than 2. 4 = Student's AGI assumed equal to sum of student and spouse earned income portions. 5 = Parent's Total from Worksheet C assumed to be zero. 6 = Student's Total from Worksheet C assumed to be zero.
142.	ISIR Field # 117	<EarlyAnalysisIndicator> Early Analysis Flag: This element indicates if a student is requesting Early Admission to your school. This tag maps to the 2003-04 ISIR Record Layout Early Analysis Flag (field #117).	NA	Boolean	Simple Element	true = Yes Nil = true

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
143.		<SignatureData> Signature Data: A complex element. This element provides a logical grouping of elements related to signature information.	NA	NA	Complex Element	NA
144.	ISIR Field # 105	<SignatureSourceCode> Signature Source Code: This element indicates who signed the document. This tag maps to the 2003-04 ISIR Record Layout Signed By (field #105).	NA	String List	Simple Element	ApplicantOnly ApplicantAndParent ParentOnly
145.	ISIR Field # 104	<SignatureDate> Signature Date: This element indicates the date the document was signed. This tag maps to the 2003-04 ISIR Record Layout Date Application Completed (field #104).	NA	Date	Simple Element	Format is CCYY-MM-DD
146.		<Preparer> Preparer: A complex element. This element provides a logical grouping of elements related to preparer information.	NA	NA	Complex Element	NA
147.	ISIR Field # 106	<SSN> Social Security Number: The preparer's current Social Security Number. This tag maps to the 2003-04 ISIR Record Layout Preparer's Social Security (field # 106).	9	Integer	Simple Element	000000000 to 999999999 Nil = true
148.	ISIR Field # 107	<EmployersIdentificationNumber> Employer Identification Number (EIN): This element indicates the employer identification number. This tag maps to the 2003-04 ISIR Record Layout Preparer's Employer Identification Number (field #107).	9	Integer	Simple Element	000000000 to 999999999 Nil = true
149.	ISIR Field # 108	<SignatureIndicator> Signature Indicator: This element indicates if the preparer signed the document. This tag maps to the 2003-04 ISIR Record Layout Preparer's Signature (field #108).	NA	Boolean	Simple Element	true = Yes Nil = true
150.		<EligibilityDetermination> Eligibility: A complex element. This element provides a logical grouping of elements related to eligibility information.	NA	NA	Complex Element	NA
151.		<DataMatch> DataMatch: A complex element. This element provides a logical grouping of elements related to data match information.	NA	NA	Complex Element	NA

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
152.		<NSLDS> NSLDS: A complex element. This element provides a logical grouping of elements related to NSLDS information.	NA	NA	Complex Element	NA
153.	ISIR Field # 156	<MatchCode> Match Code: This element indicates the results of the NSLDS Match. This tag maps to the 2003-04 ISIR Record Layout NSLDS Match Flag (field #156).	NA	String List	Simple Element	NotInDefaultOrOverpay Default Overpayment DefaultAndOverpayment MatchedNoData NotSentToNSLDS
154.	ISIR Field # 157	<PostScreeningCode> Post-Screening Code: This element indicates that the student's NSLDS eligibility has changed since the previous prescreening. There is a maximum occurrence of three Post-screening Reason codes for this tag. This tag maps to the 2003-04 ISIR Record Layout NSLDS Post-Screening Reason Code (field #157).	NA	String List	Simple Element	DefaultAdded OverpaymentAdded DefaultResolved OverpaymentResolved MPNStatusChange LoanIntoDischarge LoanOutOfDischarge ClosedSchool ExceededSubsidized ExceededCombined NotExceedingSubsidized NotExceedingCombined ChangeInTypeOfDischarge Other
155.		<SelectiveService> Selective Service: A complex element. This element provides a logical grouping of elements related to Selective Service information.	NA	NA	Complex Element	NA
156.	ISIR Field # 147	<MatchCode> Selective Service Match Code: Result from SS Match for applicants who met criteria to be sent to match. This tag maps to the 2003-04 ISIR Record Layout Selective Service Match Flag (field # 147).	NA	String List	Simple Element	Confirmed NotConfirmed TemporarilyExempt

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
157.	ISIR Field # 148	<RegistrationCode> Registration Code: This element indicates the results from the student's request to be registered with Selective Service. This tag maps to the 2003-04 ISIR Record Layout Selective Service Registration Flag (field #148).	NA	String List	Simple Element	Completed NotCompleted TemporarilyExempt
158.		<INS> INS: A complex element. This element provides a logical grouping of elements related to INS information.	NA	NA	Complex Element	NA
159.	ISIR Field # 149	<MatchCode> Match Code: This element indicates the results from INS match. This tag maps to the 2003-04 ISIR Record Layout INS Match Flag (field #149).	NA	String List	Simple Element	Confirmed NotConfirmed
160.	ISIR Field # 150	<VerificationNumber> Verification Number: This element indicates the identification number provided by the Immigration and Naturalization Service indicating that primary verification was performed. This tag maps to the 2003-04 ISIR Record Layout INS Verification Number (field #150).	15	Integer	Simple Element	0000000000000000 to 999999999999999
161.	ISIR Field # 151	<SecondaryConfirmationCode> Secondary Confirmation Code: Results from INS Secondary Confirmation for applicants who failed Primary Confirmation. This tag maps to the 2003-04 ISIR Record Layout Secondary INS Match Flag (field #151).	NA	String List	Simple Element	NotYetConfirmed NotConfirmed Pending NeedMoreInformation Confirmed
162.		<SocialSecurity> Social Security: A complex element. This element provides a logical grouping of elements related to Social Security information.	NA	NA	Complex Element	NA
163.	ISIR Field # 153	<MatchCode> Match Code: Results from SSN Match with Social Security Administration This tag maps to the 2003-04 ISIR Record Layout SSN Match Flag (fields # 153).	NA	String List	Simple Element	NoMatchOnSSN NoMatchOnDOB NoMatchOnName FullMatch MatchOnDeceasedSSN

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
164.	ISIR Field # 154	<CitizenshipStatusCode> Citizenship Status Code: This element indicates the results from a Citizenship Match with the Social Security Administration. This tag maps to the 2003-04 ISIR Record Layout SSA Citizenship Flag (154).	NA	String List	Simple Element	Citizen EligibleToWork NotEligibleToWork Other Restricted ConditionallyLegalized UnableToVerify Foreign DomesticBorn
165.	ISIR Field # 155	<DeceasedDate> Deceased Date: This element indicates the Date of Death provided for this SSN from the Social Security Administration. This tag maps to the 2003-04 ISIR Record Layout SSA Date of Death (field # 155).	10	Date	Simple Element	Format is CCYY-MM-DD
166.	ISIR Field # 158	<VAMatchCode> VA Match Code: This element indicates the results of the Veterans Affairs Match. This tag maps to the 2003-04 ISIR Record Layout VA Match Flag (field # 158).	NA	String List	Simple Element	Confirmed DoesNotQualify NotFound ActiveDuty NotSentToVA
167.	ISIR Field # 144	<SARCIIndicator> SAR C Indicator: This element indicates that resolution is necessary on one or more match results. This tag maps to the 2003-04 ISIR Record Layout SAR C Flag (field # 144).	NA	Boolean	Simple Element	true = Yes
168.		<RecordTypeData> Record Type Data: A complex element. This element provides a logical grouping of elements related to type of record information.	NA	NA	Complex Element	NA
169.	ISIR Field # 133	<ApplicationReceiptDate> Application Receipt Date: This element indicates the date the application was received by the FAFSA Processor or School for data entry or the date the student entered the record on the Web. This tag maps to the 2003-04 ISIR Record Layout Application Receipt Date (field #133).	10	Date	Simple Element	Format is CCYY-MM-DD

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
170.	ISIR Field # 109	<p><TransactionReceiptDate></p> <p>Transaction Receipt Date: This element indicates the date the transaction was received by the FAFSA Processor or School for data entry or the date the student entered the record on the Web.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Application Receipt Date (field #109).</p>	10	Date	Simple Element	Format is CCYY-MM-DD
171.	ISIR Field # 114	<p><InputRecordTypeCode></p> <p>Input Record Type: This element indicates the type of record that was submitted to the CPS.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Input Record Type (field #114).</p>	NA	String List	Simple Element	InitialApplication CorrectionApplication RenewalApplication Correction QuickCorrection VerificationCorrection WebSignatures DuplicateRequest
172.	ISIR Field # 134	<p><ProcessedRecordTypeCode></p> <p>Processed Record Type: Codes: This element indicates the type of record that was processed by the CPS.</p> <p>This tag maps to the 2003-04 ISIR Record Layout processed Record Type (field # 134).</p>	NA	String List	Simple Element	InitialApplication CorrectionApplication CorrectionOrDuplicate
173.	ISIR Field # 136	<p><SystemGeneratedCode></p> <p>System Generated Code: This element indicates the transaction was initiated by the CPS with no input from the applicant.</p> <p>This tag maps to the 2003-04 ISIR Record Layout System Generated Indicator (field #136).</p>	NA	String List	Simple Element	DrugHoldReleased DuplicateNewDrugHold SecondaryConfirmation DuplicateNewNSLDS NSLDSPostScreening Reprocessed
174.	ISIR Field # 162	<p><SubsequentApplicationIndicator></p> <p>Subsequent Application Indicator: This element indicates that an initial applicant was filed with the same ID as a transaction already on the CPS database.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Subsequent Applicant Flag (field #162).</p>	NA	Boolean	Simple Element	true = Yes

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
175.	ISIR Field # 137	<DuplicateRequestIndicator> Duplicate Request Indicator: This element indicates this transaction is a result of a duplicate request. This tag maps to the 2003-04 ISIR Record Layout Duplicate Request Indicator (field 137).	NA	Boolean	Simple Element	true = Yes
176.	ISIR Field # 269	<DuplicateRequestDate> Duplicate Request Date: This element indicates the CPS Process Date on which the transaction requested was originally processed. This tag maps to the 2003-04 ISIR Record Layout Duplicate Date (field 269).	10	Date	Simple Element	Format is CCYY-MM-DD
177.	ISIR Field # 138	<CorrectionSourceCode> Correction Source Code: This element indicates the source of the transaction. This tag maps to the 2003-04 ISIR Record Layout Source of Correction (field #138).	NA	String List	Simple Element	Applicant CPS School
178.	ISIR Field # 135	<CorrectionTransactionNumber> Correction Transaction Number: This element indicates which transaction the correction was applied against.. This tag maps to the 2003-04 ISIR Record Layout Correction Applied against Transaction Number (field #135).	2	Integer	Simple Element	01 to 99
179.	ISIR Field # 163	<ApplicationSourceCode> Application Source Code: This element indicates the origin of the initial application. This tag maps to the 2003-04 ISIR Record Layout Application Data Source/Type Code (field #163).	NA	String List	Simple Element	ElectronicApplication PaperApplication PaperRenewalApplication PaperSpanishApplication FAFSAWeb RenewalWeb EasyFAFSAWeb
180.	ISIR Field # 268	<ReprocessedReasonCode> Reprocessed Reason Code: This element indicates why the CPS reprocessed an ISIR. An electronic message will be sent to destination numbers identifying definition of the code. This tag maps to the 2003-04 ISIR Record Layout Reprocessed Reason Code (field #268).	2	Integer	Simple Element	01 to 99

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
181.	ISIR Field # 164	<p><TransactionSourceCode></p> <p>Transaction Source Code: This element indicates the source of this transaction.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Transaction Data Source/Type Code (field #164).</p>	NA	String List	Simple Element	<p>ElectronicApplication</p> <p>ElectronicCorrection</p> <p>ElectronicSignature</p> <p>QuickCorrection</p> <p>VerificationCorrection</p> <p>PaperApplication</p> <p>PaperRenewalApplication</p> <p>PaperCorrection</p> <p>PaperSpanishApplication</p> <p>PaperSignaturePage</p> <p>FAFSAWeb</p> <p>RenewalWeb</p> <p>CorrectionsWeb</p> <p>FAACorrectionsWeb</p> <p>SystemGenerated</p> <p>NSLDSPostScreening</p> <p>FDROrYTD</p> <p>SignatureCorrection</p> <p>INSSecondaryConfirmation</p> <p>CustomerService</p> <p>EasyFAFSAWeb</p> <p>EasyCorrectionsWeb</p>
182.	ISIR Field # 166	<p><TransactionProcessedDate></p> <p>Transaction Processed Date: This element indicates the Date the CPS processed this transaction.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Transaction Processed Date (field #166).</p>	10	Date	Simple Element	Format is CCYY-MM-DD

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
183.	ISIR Field # 271	<p><ISIRTransactionCode></p> <p>ISIR Transaction Code: This element indicates the ISIR batch type that this ISIR was received in.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Transaction Type (field #271).</p>	NA	String List	Simple Element	ElectronicApplication AutoISIR ElectronicCorrection ElectronicDuplicate
184.	ISIR Field # 272	<p><eSchoolPosition></p> <p>eSchool Position: This element identifies which of the six schools listed in ISIR fields 91, 93, 95, 97, 99, or 101 on this transaction initiated this record.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Electronic Federal School Code Indicator (fields 272).</p>	1	Integer	Simple Element	1 to 6
185.	ISIR Field # 118	<p><eApplicationSourceCode></p> <p>Electronic Application Source Code: This element indicates the source of the application entry.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Electronic Application Entry Source Code (field #118).</p>	NA	String List	Simple Element	FAAEntry SpanishWeb RenewalWeb FAFSAWeb FAAAccess
186.	ISIR Field # 120	<p><eDestinationNumber></p> <p>eDestination Number: Indicates the Electronic Transaction Indicator (ETI) for the destination that did the entry.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Electronic Application Entry Source Code (field #120).</p>				TGXXXXXX where XXXXX is the 5-digit numeric code assigned by SAIG Nil = true
187.		<p><MultipleSchools></p> <p>Multiple Schools: A complex element. This element provides a logical grouping of elements related to identification information.</p>	NA	NA	Complex Element	NA
188.	ISIR Field # 273	<p><School Number= " "></p> <p>School Number: This element provides a logical grouping of elements related to School Notification information. The attribute "Number" indicates the order of the Federal School Code listed on the FAFSA.</p> <p>This element has a maximum of six occurrences for this tag.</p> <p>This tag maps to the 2003-04 ISIR Record Layout Multi School Code Flags (field #273).</p>	NA	NA	Simple Element with Attribute	X00000 to X99999 Nil = true Valid characters for the first position are 0 (zero), B, E, or G.

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
189.	1	<BatchYear> Batch Year: This element indicates the year of the application processing cycle. This tag maps to the 2003-04 ISIR Record Batch Year. (field #1).	4	Year	Simple Element	2004 (for processing cycle 2003-04)
190.	ISIR Field # 115	<SerialNumber> Serial Number: This element indicates the sequential position of the ISIR in the batch. This tag maps to the 2003-04 ISIR Record Layout Serial Number.	5	Integer	Simple Element	00001 to 99999
191.	ISIR Field # 116	<BatchNumber> Batch Number: Indicates the Electronic Data Exchange or Imaging Data Capture batch number This tag maps to the 2003 ISIR Record Layout Batch Number.	NA	String List	Simple Element	See the attachment for examples of batch numbers and description of characters.
192.	ISIR Field # 167	<ComputeNumber> Compute Number: This element indicates which processing batch this record was processed/computed in. This tag maps to the 2003-04 ISIR Record Layout Compute Number.	3	Integer	Simple Element	001 to 999
193.		<AidAdministratorInformation> Aid Administrator Information: A complex element. This element provides a logical grouping of elements related to aid administrator information.	NA	NA	Complex Element	NA
194.	ISIR Field # 160	<VerificationTrackingCode> Verification Tracking Code: This element indicates the priority of the verification selection criteria that this record met. This tag maps to the 2003-04 ISIR Record Layout Verification Tracking Flag (field #160).	2	Integer	Simple Element	00 to 99
195.	ISIR Field # 161	<VerificationSelectionCode> Verification Selection Code: This element indicates if the student is selected for verification. This tag maps to the 2003-04 ISIR Record Layout field Student is selected for Verification (field #161).	NA	String List	Simple Element	Selected NotSelected SubsequentlySelected

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
196.	ISIR Field # 270	<DuplicateSSNIndicator> Duplicate SSN Indicator: This element indicates if another filer is using this original SSN in their original SSN field. This tag maps to the 2003-04 ISIR Record Layout Duplicate SSN Indicator (field #270).	NA	Boolean	Simple Element	true = yes
197.	ISIR Field # 2	<ChangeCode> Change Code: This element indicates if the student's last name and/or SSN have been changed. This tag maps to 2003-04 ISIR Record Layout Student Last Name or SSN Change Flag. (field #2).	NA	String List	Simple Element	LastName SSN SSNAndLastName
198.		<ProcessedApplicationInformation> Processed Application Information: A complex element. This element provides a logical grouping of elements related to application information.	NA	NA	Complex Element	NA
199.	ISIR Field # 132	<DependencyStatusCode> Dependency Status: Code: This element indicates the dependency status determined by CPS based on data provided. This tag maps to the 2003-04 ISIR Record Layout Dependency Status (field #132).	NA	String List	Simple Element	Dependent Independent DependentNoEFC IndependentNoEFC
200.	ISIR Field # 165	<DataReleaseNumber> Data Release Number (DRN): This element indicates the data release number and will only be included when the transaction was initiated as an Electronic Application at the destination number. This tag maps to the 2003-04 ISIR Record Layout Data Release Number (field #165).	4	Integer	Simple Element	0000 to 9999
201.	ISIR Field # 267	<PellEligibilityIndicator> Pell Eligibility Indicator: This element indicates that the CPS has determined this transaction eligible for a Federal Pell Grant. This tag maps to the 2003-04 ISIR Record Layout Pell Grant Eligibility Flag (field #267).	NA	Boolean	Simple Element	true = Pell Eligible
202.	ISIR Field # 141	<GraduateIndicator> Graduate Indicator: This element indicates if the applicant indicated graduate/professional or has bachelor's degree. This tag maps to the 2003-04 ISIR Record Layout Graduate Flag (field #141).	NA	Boolean	Simple Element	true = Graduate Student

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
203.	ISIR Field # 140	<StudentTaxFilingStatusCode> Student Tax Filing Status Code: This element indicates the CPS determination of the student's tax filing status. This tag maps to the 2003-04 ISIR Record Layout Student's Calculated 2002 Tax Status (field #140).	NA	String List	Simple Element	TaxFiler NonTaxFiler
204.	ISIR Field # 139	<ParentTaxFilingStatusCode> Parent Tax Filing Status Code: Indicates the CPS determination of the parent's tax filing status. This tag maps to the 2003-04 ISIR Record Layout Parents' Calculated 2002 Tax Status (field #139).	NA	String List	Simple Element	TaxFiler NonTaxFiler
205.		<RejectReasons> Reject Reasons: A complex element. This element provides a logical grouping of elements related to reject reason information.	NA	NA	Complex Element	NA
206.	ISIR Field # 146	<RejectCode> Reject Codes: Indicates why an application or correction has been rejected. There is a maximum of seven occurrences for this tag. This tag maps to the 2003-04 ISIR Record Layout Reject Reason Codes (fields #146).	2	String List	Simple Element	See attachment for Reject Reason codes (and descriptions).
207.		<Assumptions> Assumptions: A complex element. This element provides a logical grouping of elements related to assumption information.	NA	NA	Complex Element	NA
208.		<Assumption> Assumption: A complex element. This element provides a logical grouping of elements related to assumption information. There is a maximum of 24 occurrences of this tag.	NA	NA	Complex Element	NA
209.	ISIR Fields # 241-264	<FieldName> Field Name: Indicates which ISIR fields have been assumed to a value other than the one reported. This tag maps to the 2003-04 ISIR Record Layout assumed fields 241 to 264	NA	String List	Simple Element	See attachment for fields that can be assumed.
210.	N/A	<FieldValue> Field Value: This element indicates the values to which the assumption fields have been assumed. This tag maps to the 2003-04 Record Layout assumed values in fields 241 to 264.	NA	String	Simple Element	See Description of Valid Values in Field Tag

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
211.		<DataVerifyCodes> Data Verify Codes: A complex element. This element provides a logical grouping of elements related to FAFSA verify fields.	NA	NA	Complex Element	NA
212.		<DataVerifyCode> Data Verify Code: A complex element. This element provides a logical grouping of elements related to FAFSA verify fields. There is a maximum of 120 occurrences of this tag.	NA	NA	Complex Element	NA
213.	ISIR Field # 168	<FieldName> Field Name: Indicates which ISIR fields have had the information corrected to the same value or were asked by CPS to be verified. This tag maps to the 2003-04 ISIR Record Layout FAFSA Data Verify Flags (field 168).	NA	String List	Simple Element	See attachment for fields that can be verified.
214.	ISIR Field # 168	<VerifyCode> VerifyCode: This element indicates if the Verify Field was corrected to the same value or if it was asked to be verified. This tag maps to the 2003-04 ISIR Record Layout values in FAFSA Data Verify Flags. (field 168).	NA	String List	Simple Element	CorrectedToSame VerificationRequested
215.		<CorrectionCodes> Correction Codes: A complex element. This element provides a logical grouping of elements related to correction information.	NA	NA	Complex Element	NA
216.		<CorrectionCode> Correction Code: A complex element. This element provides a logical grouping of elements related to correction information. There is a maximum of 120 occurrences of this tag.			Complex Element	NA
217.	ISIR Field # 169	<FieldName> Field Name: Indicates which ISIR fields have had the information corrected on this transaction or a previous transaction. This tag maps to 2003-04 ISIR Record Layout Correction Flags (Field # 169)	NA	String List	Simple Element	See attachment for fields that can be corrected.
218.	ISIR Field # 169	<CorrectionCode> CorrectionCode: This element indicates if the ISIR Field was corrected on this transaction or on a previous transaction. This tag maps to the values in 2003-04 ISIR Record Layout Correction Flags.	NA	String List	Simple Element	ThisTransaction PreviousTransaction

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
219.		<HighlightFields> Highlight Codes: A complex element. This element provides a logical grouping of elements related to highlight information.	NA	NA	Complex Element	NA
220.	ISIR Field # 170	<FieldName> Field Name: This element indicates which ISIR fields have been highlighted. There is a maximum of 120 occurrences of this tag. This tag maps to the values in 2003-04 ISIR Record Layout Highlight Flags (field # 170).	NA	String List	Simple Element	See attachment for fields that can be highlighted.
221.		<CommentCodes> Comment Codes: A complex element. This element provides a logical grouping of elements related to comment information.	NA	NA	Complex Element	NA
222.	ISIR Field # 265	<CommentCode> Comment Code: This element indicates the comments provided by CPS to further communicate results and processing information. There is a maximum of 20 occurrences of this tag. This tag maps to the 2003-04 ISIR Record Layout Comment Codes (field #265)..	3	String List	Simple Element	See attachment for valid comment codes (and comment text).
223.		<AcknowledgementCommentCodes> AcknowledgementCommentCodes: A complex element. This element provides a logical grouping of elements related to SAR Acknowledgement information.	NA	NA	Complex Element	NA
224.	ISIR Field # 266	<AcknowledgementCommentCode> Comment Code: This element indicates the comments provided by CPS to further communicate results and processing information. There is a maximum of 9 occurrences of this tag. This tag maps to the 2003-04 ISIR Record Layout Comment Codes (field #266).	3	String List	Simple Element	See attachment for valid comment codes (and comment text).
225.		<EFCInformation> EFC Information: A complex element. This element provides a logical grouping of elements related to EFC information.	NA	NA	Complex Element	NA
226.		<PrimaryEFC> Primary EFC: A complex element. This element provides a logical grouping of elements related to primary EFC information.	NA	NA	Complex Element	NA

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
227.	ISIR Field # 171	<PaidIndicator> Paid Indicator: This element indicates if the Primary EFC was designated as the Paid EFC . This tag maps to the 2003-04 ISIR Record Layout Paid EFC (field #171).	NA	Boolean (required)	Simple Element	true = this is the paid EFC false = this is not the paid EFC
228.	ISIR Field # 172	<EFC> EFC: This element indicates the Expected Family Contribution calculated by the CPS for Primary EFC. This tag maps to the 2003-04 ISIR Record Layout Primary EFC (field #172).	5	Integer	Simple Element	00000 to 99999
229.	ISIR Field # 175	<FormulaTypeCode> Formula Type Code: This element indicates the formula type used by the CPS to calculate the Primary EFC. This tag maps to the 2003-04 ISIR Record Layout Primary EFC Type (field #175).	NA	String List	Simple Element	Dependent IndependentNoDependents IndependentWithDependents SNTDependent SNTIndependentNoDependents SNTIndependentWithDependents
230.	ISIR Fields 177-187	<AlternateMonth Number “ “> Alternate Month: This element indicates the primary alternate EFC used by FAO in determining eligibility based on periods of time other than 9 months. This element has a maximum of eleven occurrences for this tag. This tag maps to the 2003-04 ISIR Record Layout Primary Alternate Month 1-8, 10-12.	5	Integer	Simple Element with Attribute	00000 to 99999
231.		<EFCIntermediateValues> EFC Intermediate Values: A complex element. This element provides a logical grouping of elements related to EFC intermediate information.	NA	NA	Complex Element	NA
232.	ISIR Field # 199	<TotalIncome> Total Income This tag maps to the 2003-04 ISIR Record Layout TI: Total Income (field #199).	8	Integer	Simple Element	-9999999 to 9999999
233.	ISIR Field # 200	<TotalIncomeAllowances> Total Income Allowances This tag maps to the 2003-04 ISIR Record Layout ATI: Allowances Against Total Income (field #200).	7	Integer	Simple Element	0000000 to 9999999

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
234.	ISIR Field # 201	<StateTaxAllowance> State Tax Allowance This tag maps to the 2003-04 ISIR Record Layout STX: State and Other Tax Allowance (field #200).	8	Integer	Simple Element	-9999999 to 9999999
235.	ISIR Field # 202	<EmploymentAllowance> Employment Allowance This tag maps to the 2003-04 ISIR Record Layout IPA: Income Employment Allowance (field #202).	NA	NA	Simple Element	0000000 to 9999999
236.	ISIR Field # 203	<IncomeProtectionAllowance> Income Protection Allowance This tag maps to the 2003-04 ISIR Record Layout IPA: Income Protection Allowance (field #203).	7	Integer	Simple Element	0000000 to 9999999
237.	ISIR Field # 204	<AvailableIncome> Available Income This tag maps to the 2003-04 ISIR Record Layout AI: Available Income (field #204).	8	Integer	Simple Element	-9999999 to 9999999
238.	ISIR Field # 205	<AvailableIncomeContribution> Available Income Contribution This tag maps to the 2003-04 ISIR Record Layout CAI: Contribution From Available Income (field #205).	8	Integer	Simple Element	-9999999 to 9999999
239.	ISIR Field # 206	<DiscretionaryNetWorth> Discretionary Net Worth This tag maps to the 2003-04 ISIR Record Layout DNW: Discretionary Net Worth (field #206).	10	Integer	Simple Element	-999999999 to 999999999
240.	ISIR Field # 207	<NetWorth> Net Worth This tag maps to the 2003-04 ISIR Record Layout NW: EFC Net Worth (field #207).	9	Integer	Simple Element	000000000 to 999999999
241.	ISIR Field # 208	<AssetProtectionAllowance> Asset Protection Allowance This tag maps to the 2003-04 ISIR Record Layout APA: Asset Protection Allowance (field #208).	9	Integer	Simple Element	000000000 to 999999999
242.	ISIR Field # 209	<ParentAssetContribution> Parent Asset Contribution This tag maps to the 2003-04 ISIR Record Layout PCA: Parents' Contribution from Asset (field #209).	8	Integer	Simple Element	-9999999 to 9999999

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
243.	ISIR Field # 210	<AdjustedAvailableIncome> Adjusted Available Income This tag maps to the 2003-04 ISIR Record Layout AAI: Adjusted Available Income (field #210).	8	Integer	Simple Element	-9999999 to 9999999
244.	ISIR Field # 211	<TotalStudentContribution> Total Student Contribution This tag maps to the 2003-04 ISIR Record Layout TSC: Total Student Contribution (field#211).	7	Integer	Simple Element	0000000 to 9999999
245.	ISIR Field # 212	<TotalParentContribution> Total Parent Contribution This tag maps to the 2003-04 ISIR Record Layout TPC: Total Parent Contribution (field #212).	7	Integer	Simple Element	0000000 to 9999999
246.	ISIR Field # 213	<ParentContribution> Parents' Contribution This tag maps to the 2003-04 ISIR Record Layout PC: Parents' Contribution (field #213).	7	Integer	Simple Element	0000000 to 9999999
247.	ISIR Field # 214	<StudentTotalIncome> Student's Total Income This tag maps to the 2003-04 ISIR Record Layout STI: Student's Total Income (field #214).	8	Integer	Simple Element	-9999999 to 9999999
248.	ISIR Field # 215	<StudentIncomeAllowance> Student Income Allowance This tag maps to the 2003-04 ISIR Record Layout SATI: Student's Allowance against Total Income (field # 215).	8	Integer	Simple Element	-9999999 to 9999999
249.	ISIR Field # 216	<StudentIncomeContribution> Student Income Contribution This tag maps to the 2003-04 ISIR Record Layout SIC: Dependent Students' Income Contribution (field #216).	7	Integer	Simple Element	0000000 to 9999999
250.	ISIR Field # 217	<StudentDiscretionaryNetWorth> Student Discretionary Net Worth This tag maps to the 2003-04 ISIR Record Layout SDNW: Student's Discretionary Net Worth (field # 217).	10	Integer	Simple Element	-99999999 to 999999999
251.	ISIR Field # 218	<StudentAssetContribution> Student Asset Contribution This tag maps to the 2003-04 ISIR Record Layout SCA: Student's Contribution from Assets (field # 218).	8	Integer	Simple Element	-9999999 to 9999999

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
252.	ISIR Field # 219	<FISAPTotalIncome> FISAP Total Income This tag maps to the 2003-04 ISIR Record Layout FTI: FISAP Total Income (field #219).	8	Integer	Simple Element	-9999999 to 9999999
253.		<SecondaryEFC> Secondary EFC: A complex element. This element provides a logical grouping of elements related to secondary EFC information.	NA	NA	Complex Element	NA
254.	ISIR Field # 171	<PaidIndicator> Paid Indicator: Indicates if the Secondary EFC was designated as the Paid EFC . This tag maps to the 2003-04 ISIR Record Layout Paid EFC (field # 171).	NA	Boolean (required)	Simple Element	true = this is the paid EFC false = this is not the paid EFC
255.	ISIR Field # 173	<EFC> Secondary EFC: This element indicates the Expected Family Contribution calculated by the CPS for Secondary EFC. This tag maps to the 2003-04 ISIR Record Layout Secondary EFC (field #173).	5	Integer	Simple Element	00000 to 99999
256.	ISIR Field # 176	<FormulaTypeCode> Formula Code: This element indicates the formula type used by the CPS to calculate the Secondary EFC. This tag maps to the 2003-04 ISIR Record Layout Secondary EFC Type (field #176).	NA	String List	Simple Element	Dependent IndependentNoDependents IndependentWithDependents SNTDependent SNTIndependentNoDependents SNTIndependentWithDependents
257.	ISIR Fields 188-198	<AlternateMonth Number “> Alternate Month The secondary alternate EFC used by FAO in determining eligibility based on periods of time other than 9 months. This element has a maximum of eleven occurrences for this tag. This tag maps to the 2003-04 ISIR Record Layout Secondary Alternate Month (fields # 188-198).	5	Integer	Simple Element with Attribute	00000 to 99999
258.		<EFCIntermediateValues> EFC Intermediate Values A complex element. This element provides a logical grouping of elements related to EFC intermediate information.	NA	NA	Complex Element	NA

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
259.	ISIR Field # 220	<TotalIncome> Total Income This tag maps to the 2003-04 ISIR Record Layout Secondary TI Total Income (field #220)	8	Integer	Simple Element	-9999999 to 9999999
260.	ISIR Field # 221	<TotalIncomeAllowances> Total Income Allowances This tag maps to the 2003-04 ISIR Record Layout Secondary ATI Allowances Against Total Income (field #221).	7	Integer	Simple Element	0000000 to 9999999
261.	ISIR Field # 222	<StateTaxAllowance> State Tax Allowance This tag maps to the 2003-04 ISIR Record Layout Secondary STX State and Other Tax Allowance (field #222).	8	Integer	Simple Element	-9999999 to 9999999
262.	ISIR Field # 223	<EmploymentAllowance> Employment Allowance	NA	NA	Simple Element	NA
263.	ISIR Field # 224	<IncomeProtectionAllowance> Income Protection Allowance This tag maps to the 2003-04 ISIR Record Layout Secondary IPA Income Protection Allowance (field #224).	7	Integer	Simple Element	0000000 to 9999999
264.	ISIR Field # 225	<AvailableIncome> Available Income This tag maps to the 2003-04 ISIR Record Layout Secondary AI Available Income (field # 225).	8	Integer	Simple Element	-9999999 to 9999999
265.	ISIR Field # 226	<AvailableIncomeContribution> Available Income Contribution This tag maps to the 2003-04 ISIR Record Layout Secondary CAI Contribution From Available Income (field #226).	8	Integer	Simple Element	-9999999 to 9999999
266.	ISIR Field # 227	<DiscretionaryNetWorth> Discretionary Net Worth This tag maps to the 2003-04 ISIR Record Layout Secondary DNW Discretionary Net Worth (field #227).	10	Integer	Simple Element	-999999999 to 999999999
267.	ISIR Field # 228	<NetWorth> Net Worth This tag maps to the 2003-04 ISIR Record Layout Secondary NW EFC Net Worth (field #228).	9	Integer	Simple Element	000000000 to 999999999

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
268.	ISIR Field # 229	<AssetProtectionAllowance> Asset Protection Allowance This tag maps to the 2003-04 ISIR Record Layout Secondary APA Asset Protection Allowance (field #229).	9	Integer	Simple Element	000000000 to 999999999
269.	ISIR Field # 230	<ParentAssetContribution> Parent Asset Contribution This tag maps to the 2003-04 ISIR Record Layout Secondary PCA Parents' Contribution from Asset (field #230).	8	Integer	Simple Element	-9999999 to 9999999
270.	ISIR Field # 231	<AdjustedAvailableIncome> Adjusted Available Income This tag maps to the 2003-04 ISIR Record Layout Secondary AAI Adjusted Available Income (field #231).	8	Integer	Simple Element	-9999999 to 9999999
271.	ISIR Field # 232	<TotalStudentContribution> Total Student Contribution This tag maps to the 2003-04 ISIR Record Layout Secondary TSC Total Student Contribution (field #232).	7	Integer	Simple Element	0000000 to 9999999
272.	ISIR Field # 233	<TotalParentContribution> Total Parent Contribution This tag maps to the 2003-04 ISIR Record Layout Secondary TPC Total Parent Contribution (field #233).	7	Integer	Simple Element	0000000 to 9999999
273.	ISIR Field # 234	<ParentContribution> Parents' Contribution This tag maps to the 2003-04 ISIR Record Layout Secondary PC Parents' Contribution (field # 234).	7	Integer	Simple Element	0000000 to 9999999
274.	ISIR Field # 235	<StudentTotalIncome> Student Total Income This tag maps to the 2003-04 ISIR Record Layout Secondary STI Student's Total Income (field #235).	8	Integer	Simple Element	-9999999 to 9999999
275.	ISIR Field # 236	<StudentIncomeAllowance> Student Income Allowance This tag maps to the 2003-04 ISIR Record Layout Secondary SATI Student's Allowance against Total Income (field # 236).	8	Integer	Simple Element	-9999999 to 9999999

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
276.	ISIR Field # 237	<StudentIncomeContribution> Student Income Contribution This tag maps to the 2003-04 ISIR Record Layout Secondary SIC Dependent Students' Income Contribution (field #237).	7	Integer	Simple Element	0000000 to 9999999
277.	ISIR Field # 238	<StudentDiscretionaryNetWorth> Student Discretionary Net Worth This tag maps to the 2003-04 ISIR Record Layout Secondary SDNW Student's Discretionary Net Worth (field # 238).	10	Integer	Simple Element	-999999999 to 999999999
278.	2 ISIR Field # 39	<StudentAssetContribution> Student Asset Contribution This tag maps to the 2003-04 ISIR Record Layout Secondary SCA Student's Contribution from Assets (field # 239).	8	Integer	Simple Element	-9999999 to 9999999
279.	ISIR Field # 240	<FISAPTotalIncome> FISAP Total Income This tag maps to the 2003-04 ISIR Record Layout Secondary FTI FISAP Total Income (field #240).	8	Integer	Simple Element	-9999999 to 9999999
280.	ISIR Field # 142	<ZeroEFCIndicator> Zero EFC Indicator: Indicates that the Zero EFC is automatically set if simplified needs test is met and taxable income is \$15,000 or less. This tag maps to the 2003-04 ISIR Record Layout Automatic Zero EFC (field #142).	NA	Boolean	Simple Element	True = Auto Zero
281.	ISIR Field # 145	<SimplifiedIndicator> Simplified Needs Test (SNT): This element indicates if the applicant meets certain criteria for tax filing status and income level and are not required to provide asset information. This tag maps to the 2003-04 ISIR Record Layout Simplified Needs Test (field #145).	NA	Boolean	Simple Element	True = Simplified Needs Test Met
282.	ISIR Field # 143	<EFCChangeCode> EFC Change Code: This element indicates if the EFC has gone up or down from the transaction this correction was being applied against. This tag maps to the 2003-04 ISIR Record Layout EFC Change Flag (field # 143).	NA	String List	Simple Element	Increased Decreased
283.		<FinancialAidHistory> FinancialAidHistory: A complex element. This element provides a logical grouping of elements related to financial aid history information.	NA	NA	Complex Element	NA

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
284.	ISIR Field # 277	<MatchResultsCode> Match Results Code: This element indicates the result of matching this record against the NSLDS database for financial aid history information. This tag maps to the 2003-04 ISIR Record Layout NSLDS Database Results Flag (field #277).	NA	String List	Simple Element	MatchedDataSent SSNMatchNoData SSNNotFound MatchedNoData RealTimeNotSent NotSentToNSLDS
285.	ISIR Field # 276	<NSLDSTransactionNumber> NSLDS Transaction Number: Reflects the latest transaction number on which NSLDS information was updated. This tag maps to the 2003-04 ISIR Record Layout NSLDS Transaction Number (field #276).	2	Integer	Simple Element	01 to 99
286.		<PellOverpaymentStatus> Pell Overpayment Status: A complex element. This element provides a logical grouping of elements related to Pell overpayment information.	NA	NA	Complex Element	NA
287.		<SEOGOverpaymentStatus> SEOG Overpayment Status: A complex element. This element provides a logical grouping of elements related to SEOG overpayment information.	NA	NA	Complex Element	NA
288.		<PerkinsOverpaymentStatus> Perkins Overpayment Status: A complex element. This element provides a logical grouping of elements related to Perkins overpayment information.	NA	NA	Complex Element	NA
289.	ISIR Fields 278 281 283	<Status> Status: This element indicates the overpayment status for Pell, SEOG or Perkins and can occur for each one if there is an overpayment. This tag maps to the 2003-04 ISIR Record Layout Pell, SEOG or Perkins Overpayment Flag (field #278, 281, 283).	NA	String List	Simple Element	Deferred RepayArrangements Waived Overpayment

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
290.	ISIR Fields 280 282 284	<p><School OPEID = “ “ MoreThanOne =“ “></p> <p>Overpayment Contact Code: This element indicates the contact school that is holding the Overpayment for Pell, SEOG or Perkins and can occur for each one if there is an overpayment. If there is more than one contact, the OPE ID attribute will not be provided, and the attribute MoreThanOne will be set to true.</p> <p>This tag maps to the 2003-04 ISIR Record Layout NSLDS Overpayment Contact (field # 280, 282, 284)</p>	8	String	Simple Element with Attribute	<p>OPE ID values: 00000000 to 99999999</p> <p>MoreThanOne values: true</p>
291.		<p><LoanStatusData></p> <p>Loan Status Data: A complex element. This element provides a logical grouping of elements related to Loan information.</p>	NA	NA	Complex Element	NA
292.	ISIR Field # 285	<p><LoanDefaultedIndicator></p> <p>Loan Defaulted Indicator</p> <p>This tag maps to the 2003-04 ISIR Record Layout NSLDS Defaulted Loan Flag (field #285).</p>	NA	Boolean	Simple Element	true = Yes
293.	ISIR Field # 286	<p><LoanDischargedCode></p> <p>Loan Discharged Code</p> <p>This tag maps to the 2003-04 ISIR Record Layout NSLDS Discharged Loan Flag (field #286).</p>	NA	String List	Simple Element	<p>Conditional</p> <p>Death</p> <p>Multiple</p> <p>None</p> <p>Permanent</p> <p>Reaffirmed</p>
294.	ISIR Field # 287	<p><Satisfactory RepaymentIndicator></p> <p>Satisfactory Repayment Indicator</p> <p>This tag maps to the 2003-04 ISIR Record Layout NSDLS Loan Satisfactory Repayment Flag (field #287).</p>	NA	Boolean	Simple Element	True = Yes
295.	ISIR Field # 288	<p><ActiveBankruptcyIndicator></p> <p>Active Bankruptcy Indicator</p> <p>This tag maps to the 2003-04 ISIR Record Layout Active Bankruptcy Flag (field #288).</p>	NA	Boolean	Simple Element	True = Yes
296.	ISIR Field # 302	<p><LoanDefaultedChangeIndicator></p> <p>Loan Defaulted Change Indicator</p> <p>This tag maps to the 2003-04 ISIR Record Layout NSLDS Defaulted Loan Change Flag (field #302).</p>	NA	Boolean	Simple Element	True = Yes

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
297.	ISIR Field # 303	<LoanDischargedChangeIndicator> Loan Discharged Change Indicator This tag maps to the 2003-04 ISIR Record Layout NSLDS Discharged Loan Change Flag (field # 303).	NA	Boolean	Simple Element	True = Yes
298.	ISIR Field # 304	<LoanRepaymentChangeIndicator> Loan Repayment Change Indicator This tag maps to the 2003-04 ISIR Record Layout NSLDS Satisfactory Repayment Change Flag (field #304).	NA	Boolean	Simple Element	True = Yes
299.	ISIR Field # 305	<ActiveBankruptcyChangeIndicator> Active Bankruptcy Change Indicator This tag maps to the 2003-04 ISIR Record Layout NSLDS Active Bankruptcy Change Flag (field #305).	NA	Boolean	Simple Element	True = Yes
300.	ISIR Field # 306	<OverpaymentChangeIndicator> Overpayment Change Indicator This tag maps to the 2003-04 ISIR Record Layout NSLDS Overpayment Change Flag (field 306).	NA	Boolean	Simple Element	True = Yes
301.	ISIR Field # 307	<AggregateLoanChangeIndicator> Aggregate Loan Change Indicator This tag maps to the 2003-04 ISIR Record Layout NSLDS Aggregate Loan Change Flag (field #307).	NA	Boolean	Simple Element	True = Yes
302.	ISIR Field # 308	<PerkinsLoanChangeIndicator> Perkins Loan Change Indicator This tag maps to the 2003-04 ISIR Record Layout NSLDS Perkins Loan Change Flag (field #308).	NA	Boolean	Simple Element	True = Yes
303.	ISIR Field # 309	<PellPaymentChangeIndicator> Pell Payment Change Indicator This tag maps to the 2003-04 ISIR Record Layout NSLDS Pell Payment Change Flag (field #309).	NA	Boolean	Simple Element	True = Yes
304.	ISIR Field # 310	<AdditionalPellIndicator> Additional Pell Indicator This tag maps to the 2003-04 ISIR Record Layout NSLDS Additional Pell Flag (field #310).	NA	Boolean	Simple Element	True = Yes

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
305.	ISIR Field # 311	<AdditionalLoanIndicator> Additional Loan Indicator This tag maps to the 2003-04 ISIR Record Layout NSLDS Additional Loans Flag (field #311).	NA	Boolean	Simple Element	True = Yes
306.	ISIR Field # 312	<DirectLoanPromissoryNoteCode> Direct Loan Promissory Note Code This tag maps to the 2003-04 ISIR Record Layout Direct Loan Master-Prom Note Flag (field #312).	NA	String List	Simple Element	Active Closed Inactive NoMPN Unavailable
307.	ISIR Field # 313	<PLUSPromissoryNoteCode> PLUS Promissory Note Code This tag maps to the 2003-04 ISIR Record Layout Direct Loan PLUS Master Prom Note Code (field #313).	NA	String List	Simple Element	Active Closed Inactive NoMPN Unavailable
308.		<PerkinsSummary> Perkins Summary: A complex element. This element provides a logical grouping of elements related to Perkins information.	NA	NA	Complex Element	NA
309.	ISIR Field # 300	<PrincipalBalance> Principal Balance This tag maps to the 2003-04 ISIR Record Layout NSLDS Perkins Principal Balance (field # 300).	6	Integer	Simple Element	000000 - 999999
310.	ISIR Field # 301	<CurrentYearLoanAmount> Current Year Loan Amount This tag maps to the 2003-04 ISIR Record Layout NSLDS Perkins Current Year Loan Amount (field # 301).	6	Integer	Simple Element	000000 - 999999
311.		<AggregateSubsidizedSummary> Aggregate Subsidized Summary: A complex element. This element provides a logical grouping of elements related to aggregate information.	NA	NA	Complex Element	NA
312.	ISIR Field # 289	<OutstandingPrincipalBalance> Outstanding Principal Balance This tag maps to the 2003-04 ISIR Record Layout NSLDS Aggregate Subsidized Outstanding Principal Balance (field #289).	6	Integer	Simple Element	000000 - 999999

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
313.	ISIR Field # 293	<PendingDisbursement> Pending Disbursement This tag maps to the 2003-04 ISIR Record Layout NSLDS Aggregate Subsidized Pending Disbursement (field #293).	6	Integer	Simple Element	000000 - 999999
314.	ISIR Field # 296	<Total> Total This tag maps to the 2003-04 ISIR Record Layout NSLDS Aggregate Subsidized Total (field #296).	6	Integer	Simple Element	000000 - 999999
315.		<AggregateUnsubsidizedSummary> Aggregate Unsubsidized Summary: A complex element. This element provides a logical grouping of elements related to aggregate information.	NA	NA	Complex Element	NA
316.	ISIR Field # 290	<OutstandingPrincipalBalance> Outstanding Principal Balance This tag maps to the 2003-04 ISIR Record Layout NSLDS Aggregate Unsubsidized Outstanding Principal Balance (field #290).	6	Integer	Simple Element	000000 - 999999
317.	ISIR Field # 294	<PendingDisbursement> Pending Disbursement This tag maps to the 2003-04 ISIR Record Layout NSLDS Aggregate Unsubsidized Pending Disbursement (field # 294).	6	Integer	Simple Element	000000 - 999999
318.	ISIR Field # 297	<Total> Total This tag maps to the 2003-04 ISIR Record Layout NSLDS Aggregate Unsubsidized Total (field # 297).	6	Integer	Simple Element	000000 - 999999
319.		<AggregateCombinedSummary> Aggregate Combined Summary: A complex element. This element provides a logical grouping of elements related to aggregate information.	NA	NA	Complex Element	NA
320.	ISIR Field # 291	<OutstandingPrincipalBalance> Outstanding Principal Balance This tag maps to the 2003-04 ISIR Record Layout NSLDS Combined Subsidized Outstanding Principal Balance (field #291).	6	Integer	Simple Element	000000 - 999999

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
321.	ISIR Field # 295	<PendingDisbursement> Pending Disbursement This tag maps to the 2003-04 ISIR Record Layout NSLDS Combined Unsubsidized Pending Disbursement (field #295).	6	Integer	Simple Element	000000 - 999999
322.	ISIR Field # 298	<Total> Total This tag maps to the 2003-04 ISIR Record Layout NSLDS Combined Total. (field #298).	6	Integer	Simple Element	000000 - 999999
323.		<AggregateConsolidatedSummary> Aggregate Consolidated Summary: A complex element. This element provides a logical grouping of elements related to aggregate information.	NA	NA	Complex Element	NA
324.	ISIR Field # 292	<OutstandingPrincipalBalance> Outstanding Principal Balance This tag maps to the 2003-04 ISIR Record Layout NSLDS Consolidated Subsidized Outstanding Principal Balance (field #292)	6	Integer	Simple Element	000000 - 999999
325.	ISIR Field # 299	<Total> Total This tag maps to the 2003-04 ISIR Record Layout NSLDS Aggregate Consolidated Total (field #299).	6	Integer	Simple Element	000000 - 999999
326.		<PellData> Pell Data: A complex element. This element provides a logical grouping of elements related to Pell information and can occur up to three times.	NA	NA	Complex Element	NA
327.	ISIR Fields 314 324 334	<SequenceNumber> Sequence Number This tag maps to the 2003-04 ISIR Record Layout NSLDS Pell Sequence Number (field #314, 324, 334).	2	Integer	Simple Element	01 to 03
328.	ISIR Fields 315 325 335	<VerificationCode> Verification Code This tag maps to the 2003-04 ISIR Record Layout NSLDS Pell Verification Flag (field # 315, 325 , 335).	NA	String Element	Simple Element	SelectedNotVerified Verified WithoutDocumentation
329.	ISIR Fields 316 326 336	<EFC> EFC This tag maps to the 2003-04 ISIR Record Layout NSLDS Pell EFC (field #316, 326, 336).	6	Integer	Simple Element	000000 to 999999

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
330.	ISIR Fields 317 327 337	<School OPEID=" "> School OPEID This tag maps to the 2003-04 ISIR Record Layout NSLDS Pell School Code (field #317, 327, 337).	8	String	Simple Element With Attribute	00000000 to 99999999
331.	ISIR Fields 318 328 338	<NSLDSTransactionNumber> NSLDS Transaction Number This tag maps to the 2003-04 ISIR Record Layout NSLDS Pell Transaction Number (field #318, 328, 338).	2	Integer	Simple Element	01-99
332.	ISIR Fields 319 329 339	<LastDateUpdated> Last Date Updated This tag maps to the 2003-04 ISIR Record Layout NSLDS Pell Last Update Date (field 319, 329, 339).	10	Date	Simple Element	Format is CCYY-MM-DD
333.	ISIR Fields 320 330 340	<ScheduledPellGrant> Scheduled Pell Grant This tag maps to the 2003-04 ISIR Record Layout NSLDS Pell Scheduled Amount (field #320, 330, 340).	6	Integer	Simple Element	000000 to 999999
334.	ISIR Fields 321 331 341	<AwardAmountPaid> Award Amount Paid This tag maps to the 2003-04 ISIR Record Layout NSLDS Pell Amount Paid to Date (field # 321, 331, 341).	6	Integer	Simple Element	000000 to 999999
335.	ISIR Fields 322 332 342	<TotalEligibilityUsed> Total Eligibility Used This tag maps to the 2003-04 ISIR Record Layout NSLDS Pell Percent Scheduled Award Used (field #322, 332,342).	5	decimal	Simple Element	0-999.99
336.	ISIR Fields 323 333 343	<FinancialAwardAmount> Financial Award Amount This tag maps to the 2003-04 ISIR Record Layout NSLDS Pell Award Amount (field #323).	6	Integer	Simple Element	000000 to 999999
337.		<LoanData> Loan Data: A complex element. This element provides a logical grouping of elements related to Pell information and can occur up to six times.	NA	NA	Complex Element	NA
338.	ISIR Fields 344 364 384 404 424 444	<SequenceNumber> Sequence Number This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan Sequence Number (field #344, 364, 384, 404, 424, 444).	2	Integer	Simple Element	01 to 06

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
339.	ISIR Fields 345 365 385 405 425 445	<LoanTypeCode> Loan Type Code This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan Type Code (fields #345,365, 385, 405, 425,445).	NA	String List	Simple Element	Defaulted Recent Discharged
340.	ISIR Fields 346 366 386 406 426 446	<ChangedIndicator> Changed Indicator This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan Change Flag (fields #346, 366, 386, 406, 426, 446).	NA	Boolean	Simple Element	true = Yes
341.	ISIR Fields 347 367 387 407 427 447	<ProgramCode> Program Code This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan Program Code (field #347, 367, 387,407,427, 447).	2	String	Simple Element	See attachment for NSLDS Loan Program Codes
342.	ISIR Fields 348 368 388 408 428 448	<NetAmount> Net Amount This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan (1) Net Amount (field #348, 368, 388, 408, 428, 448).	6	Integer	Simple Element	000000 to 999999
343.	ISIR Fields 349 369 389 409 429 449	<StatusCode> Status Code This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan Current Status Code (field #349, 369, 389, 409, 429, 449).	2	String	Simple Element	See attachment for NSLDS Loan Current Status Codes
344.	ISIR Fields 350 370 390 410 430 450	<StatusDate> Status Date This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan Current Status Date (field #350, 370, 390, 410, 430, 450).	10	Date	Simple Element	Format is CCYY-MM-DD
345.	ISIR Fields 351 371 391 411 431 451	<OutstandingPrincipalBalance> Outstanding Principal Balance This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan Principal Balance (field #351, 371, 391, 411, 431, 451).	6	Integer	Simple Element	000000 to 999999

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
346.	ISIR Fields 352 372 392 412 432 452	<OutstandingPrincipalBalanceDate> Outstanding Principal Balance Date This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan Principal Balance Date (field #352, 372, 392, 412, 432, 452).	10	Date	Simple Element	Format is CCYY-MM-DD
347.	ISIR Fields 353 373 393 413 433 453	<FinancialAwardBeginDate> Financial Award Begin Date This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan Begin Date (field #353, 373, 393, 413, 433, 453).	10	Date	Simple Element	Format is CCYY-MM-DD
348.	ISIR Fields 354 374 394 414 434 454	<FinancialAwardEndDate> Financial Award End Date This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan End Date (field #354, 374, 394, 414, 434, 454).	10	Date	Simple Element	Format is CCYY-MM-DD
349.	ISIR Fields 355 375 395 415 435 455	<GuarantorAgency= “ “> Guarantor EntityID This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan GA Codes (fields 355, 375, 395, 425, 435, 455).	3	String	Simple Element	000-999
350.	ISIR Fields 356 376 396 416 436 456	<ContactTypeCode> Contact Type Code This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan Contact Type (field #356, 376, 396, 416, 436, 456).	NA	String List	Simple Element	Guarantor Lender School EDRegion DirectLoanServicer SchoolServicer LenderServicer
351.	ISIR Fields 357 377 397 417 437 457	<SchoolOPEID= “ “> School OPEID This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan School Code (field #357, 377, 397, 417, 437, 457).	8	String	Simple Element With Attribute	000000 to 99999999

ISIR Record Layout and Data Description

Schema Field Number	2003-04 Field Number	03-04 ISIR Data Field	Max Length	Data Type	Field Type	Format and Valid Field Values
352.	ISIR Fields 358 378 398 418 438 458	<ContactCode> Contact Code: This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan Contact Code	8	Integer	Simple Element	00000000 to 999999999
353.	ISIR Fields 359 379 399 419 439 459	<StudentLevelCode> Student Level Code This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan Grade Level (field #359).	3	String List	Simple Element	1 – 5 A – D and G
354.	ISIR Fields 360 380 400 420 440 460	<AdditionalUnsubsidizedCode> Additional Unsubsidized Code This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan Additional Unsubsidized Loan Flag (field 360, 380, 400, 420, 440, 460).	NA	String List	Simple Element	PLUSDenial HealthProfessional Both Neither
355.	ISIR Fields 361 381 401 421 441 461	<CapitalizedInterestIndicator> Capitalized Interest Indicator This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan Capitalized Interest Flag (field #361, 381, 401, 421, 441, 461).	NA	Boolean	Simple Element	True = Yes
356.	ISIR Fields 362 382 402 422 442 462	<LastDisbursementAmount> Last Disbursement Amount This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan (1) Amount of Last Disbursement (field #362, 382, 402, 422, 442, 462).	6	Integer	Simple Element	000000 to 999999
357.	ISIR Fields 363 383 403 423 443 463	<LastDisbursementDate> Last Disbursement Date This tag maps to the 2003-04 ISIR Record Layout NSLDS Loan (1) Date of Last Disbursement (field #363, 383, 403, 423, 443, 463).	10	Date	Simple Element	Format is CCYY-MM-DD